



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/993,704	11/27/2001	Haruyasu Okubo	HITA.0127	8383
38327	7590	12/07/2004	EXAMINER	
REED SMITH LLP 3110 FAIRVIEW PARK DRIVE, SUITE 1400 FALLS CHURCH, VA 22042			YANCHUS III, PAUL B	
			ART UNIT	PAPER NUMBER
			2116	

DATE MAILED: 12/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/993,704

Applicant(s)

OKUBO ET AL.

Examiner

Paul B Yanchus

Art Unit

2116

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 22 January 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-13 and 15-26 is/are rejected.
- 7) ☒ Claim(s) 7 and 14 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
  - 2) ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 11/27/2001.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Claim Objections***

Claim 1 is objected to because of the following informalities: There appears to be a typographical error in line 21. The word "panel" should be replaced by the word "pulse" in line 21. Appropriate correction is required.

Claim 12 is objected to because of the following informalities: The phrase "as other circuit modules" seems to be erroneously added in line 9 of claim 12. Appropriate correction is required.

Claim 20 is objected to because of the following informalities: The phrase "the sleep standby mode in line 4 of claim 20 seems to be a mistake. The examiner assumes that "the sleep standby mode" is intended to be "the standby mode." Appropriate correction is required.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 12 recites the limitation "the light standby mode" in line 20. There is insufficient antecedent basis for this limitation in the claim.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2116

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5 and 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ober, US Patent no. 6,665,802, in view of, Applicant's Admitted Prior Art [AAPA].

Regarding claims 1 and 10, Ober discloses a data processor, comprising:

a central processing unit which is capable of executing an instruction [core CPU];

a clock pulse generator that enables frequency multiplication and frequency division operation to a clock signal and is capable of outputting a synchronizing clock signal [clock subsystem, column 8, lines 53-64];

other circuit modules in a semiconductor chip [selected peripheral subsystems, column 3, lines 56-67]; and

including a standby mode, a light standby mode, and a sleep mode, wherein

in the sleep mode [IDLE MODE], the supply of the synchronizing clock signal to the central processing unit is stopped and the synchronizing clock signal is supplied to the other circuit modules [column 15, lines 15-21];

in the standby mode [SLEEP MODE], the frequency multiplication and frequency division operation in the clock pulse generator are suspended and the supply of the synchronizing clock signal to the central processing unit and other circuit modules is stopped [PLL is shutdown and clocks are removed from the core CPU and selected peripheral subsystems, column 16, lines 9-16]; and

in the light standby mode [SLEEP MODE], the frequency multiplication and frequency division operation in the clock pulse generator are enabled and the supply of the synchronizing

Art Unit: 2116

clock signal to the central processing unit and other circuit modules is stopped [clocks are stopped for the CPU and selected peripheral subsystems, but PLL is not stopped to achieve power savings with a quick response to interrupt wake events, column 15, lines 41-52].

Ober does not explicitly disclose a frequency multiplication operation in the clock pulse generator. However, Ober does disclose a PLL circuit in the clock pulse generator. AAPA states that it is well known in the art that PLL circuits are used for frequency multiplication operations [page 1, paragraph 2]. Therefore, it would have been obvious to one of ordinary skill in the art to use the PLL in the Ober system to perform a frequency multiplication operation.

Regarding claims 2 and 11, Ober discloses a mode control circuit [power management subsystems] that sets the system power modes based on the state of control registers [power management state machine, column 5, lines 59-62] when a predetermined instruction is executed by the central processing unit [power modes are entered under program control, column 15, lines 43-44 and column 16, lines 9-11].

Regarding claim 3, Ober discloses resetting the sleep mode in response to an external interrupt request and moving the central processing unit to an executable state [column 15, lines 29-30].

Regarding claim 4, Ober discloses resetting the light standby mode in response to an external interrupt request and moving the central processing unit to an executable state [column 15, lines 64-66].

Regarding claim 5, Ober discloses resetting the standby mode in response to an external interrupt request and moving the central processing unit to an executable state [column 16, lines 16-18].

Art Unit: 2116

Regarding claim 8, Ober discloses that the mode control circuit stops the supply of a synchronizing clock by causing the processor to halt execution [column 15, lines 25-27].

Regarding claim 9, Ober discloses that the mode control circuit stops the output of the synchronizing signals to the central processing unit and the other circuits [column 15, lines 46-48].

Claims 6, 12, 13 and 15-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ober, US Patent no. 6,665,802, and Applicant's Admitted Prior Art [AAPA], in view of, Sakai, US Patent no. 6,266,776.

Regarding claim 6, Ober teaches that the other circuits may be system timers, but does not explicitly state the system timers are used to determine when to change power modes. However, as disclosed by Sakai using timers to count up to a predetermined value is a well known method used to determine when to change power modes. Therefore, it would have been obvious to one of ordinary skill in the art to use timers to count up to a predetermined value as a means for determining when to change power modes.

Regarding claims 12, 13 and 22, Ober discloses a data processor, comprising:  
a central processing unit which is capable of executing an instruction [core CPU];  
a clock pulse generator that enables frequency multiplication and frequency division operation to a clock signal and is capable of outputting a synchronizing clock signal [clock subsystem, column 8, lines 53-64];

other circuit modules in a semiconductor chip [selected peripheral subsystems, column 3, lines 56-67]; and

Art Unit: 2116

a mode control circuit [power management subsystem] that controls settings of at least first and second modes [column 5, lines 59-62], wherein

in the first mode [IDLE MODE], the supply of the synchronizing clock signal to the central processing unit is stopped and the synchronizing clock signal is supplied to the other circuit modules [column 15, lines 15-21];

in the second mode [SLEEP MODE], the frequency multiplication and frequency division operation in the clock pulse generator are suspended and the supply of the synchronizing clock signal to the central processing unit and other circuit modules is stopped [PLL is shutdown and clocks are removed from the core CPU and selected peripheral subsystems, column 16, lines 9-16]; and

in a light standby mode [SLEEP MODE], the frequency multiplication and frequency division operation in the clock pulse generator are enabled and the supply of the synchronizing clock signal to the central processing unit and other circuit modules is stopped [clocks are stopped for the CPU and selected peripheral subsystems, but PLL is not stopped to achieve power savings with a quick response to interrupt wake events, column 15, lines 41-52].

Ober does not explicitly disclose a frequency multiplication operation in the clock pulse generator. However, Ober does disclose a PLL circuit in the clock pulse generator. AAPA states that it is well known in the art that PLL circuits are used for frequency multiplication operations [page 1, paragraph 2]. Therefore, it would have been obvious to one of ordinary skill in the art to use the PLL in the Ober system to perform a frequency multiplication operation.

Ober teaches that the other circuits may be system timers, but does not explicitly state the system timers are used to determine when to change power modes. However, as disclosed by

Art Unit: 2116

Sakai using timers to count up to a predetermined value is a well known method used to determine when to change power modes. Therefore, it would have been obvious to one of ordinary skill in the art to use timers to count up to a predetermined value as a means for determining when to change power modes.

Regarding claims 15 and 23, Ober discloses a mode control circuit [power management subsystems] that sets the system power modes based on the state of control registers [power management state machine, column 5, lines 59-62] when a predetermined instruction is executed by the central processing unit [power modes are entered under program control, column 15, lines 43-44 and column 16, lines 9-11].

Regarding claim 16, Ober discloses resetting the first mode in response to an external interrupt request and moving the central processing unit to an executable state [column 15, lines 29-30].

Regarding claim 17, Ober discloses resetting the second mode in response to an external interrupt request and moving the central processing unit to an executable state [column 16, lines 16-18].

Regarding claim 18, Ober discloses that the mode control circuit stops the supply of a synchronizing clock by causing the processor to halt execution [column 15, lines 25-27].

Regarding claims 19-21, Ober discloses that the mode control circuit stops the output of the synchronizing signals to the central processing unit and the other circuit modules [column 15, lines 46-48].



Art Unit: 2116

Regarding claims 24 and 26, Ober discloses a memory that the central processing unit can access [column 5, lines 50-52] and a circuit that requests an interrupt from the data processor [column 5, lines 53-55].

Regarding claim 25, Ober discloses that the system is a battery-powered device [column 1, lines 23-25].

### ***Allowable Subject Matter***

Claims 7 and 14 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Helms, US Patent no. 6,754,837, discloses allowing clock multiplier circuitry to continue operating when clocks are stopped.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul B Yanchus whose telephone number is (571) 272-3678. The examiner can normally be reached on Mon-Thurs 8:00-6:00.

Art Unit: 2116

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H Browne can be reached on (571) 272-3670. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Paul Yanchus  
December 2, 2004



**A. ELAMIN**  
**PRIMARY EXAMINER**